

Expiry March 6, 2020

empack

Paste Polish

Material Safety Data Sheet

1. Chemical Product and Company Information

Product Name: Moneysworth Shoe Polish

Product Item Numbers: # 22200 – 70 g (2.5 oz)
22201 – 70 g (2.5 oz)
22202 – 70 g (2.5 oz)

Product Manufacturer: Empack, a Division of EMU Polishes Inc.
Address: 98 Walker Drive
Brampton, Ontario, Canada L6T 4H6

Telephone: (905) 792 – 6571

Emergency Telephone: Empack: (905) 792-6571 (8:00 am – 4:00 pm ET)
CANUTEC: (613) 996-6666 collect (24 Hours)

Product Use: Paste Polish
Prepared By: Empack Regulatory Department
Preparation Date: August 30, 2010
Last update: March 6, 2017

2. Composition / Information on Ingredients

Ingredients	CAS Number	Weight %	TLV-TWA (ppm)
Petroleum Distillates (Naphtha Hydrotreated heavy)	64742-48-9	60-100	300

3. Hazards Identification

Emergency overview:

No special hazards.

Potential Health Effects:

Inhalation: Breathing small amounts is not likely to cause harmful effects. Breathing large amounts may be harmful.

Skin Contact: Can cause skin irritation. Prolonged or repeated contact may dry the skin.

Eye Contact: May causes irritation, redness and pain.

Ingestion: Do not induce vomiting. Drink enough water to dilute. Consult physician.

4. First Aid Measures

Inhalation: Move victim to fresh air. Get medical attention if irritation persist.

Skin contact: The product is not expected to be skin irritant. However, washing the contact skin area with soap and water is still expected.

Eye contact: Wash out with water for 10 minutes. If irritation persists, seek medical attention.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

5. Fire - Fighting Measures

Flammability Class: Flammable

Flash Point: Not available

Flash Point: Not available

Autoignition Temperature: Not available

Extinguishing media: Carbon dioxide, extinguishing powder or water jet. Alcohol resistant foams are preferred if available.

Products of combustion: Carbon monoxide gas.

Special exposure hazards: Not Applicable

Exposure limits (vol/vol): LEL: 0.6%, UEL:8.0%

Sensitivity to Mechanical Impact: Not expected to be sensitive.

Sensitivity to Static Discharge: Not expected to be sensitive

6. Accidental Release Measures

Personal precautions: Do not ingest. Avoid contact with eyes.

Environmental precaution: No special measures required.

Measures in case of spill: Collect mechanically

7. Handling and Storage

No special precautions necessary if used correctly. Store away from food stuffs. Away from source of ignition.

8. Exposure Controls / Personal Protection

Exposure limit(s): N/Av

Protective measures: Keep away from baby, food and drink.

Respiratory protection: N/Av

Eye protection: Keep away from eyes.

Skin and body protection: Not to be applied on wounds.

9. Physical And Chemical Properties

Visual: Pasty

Odour: Characteristic

Color : Different according to colour

pH (at 25°C): N/Av

Viscosity (at 25 °C):: N/Av

Freezing point: N/Av

Boiling point: 162 °C

Melting point: N/Av

Specific Gravity: 0.8

Solvent content: 72% wt/wt

Solid content: 28 % wt/wt

Solubility in Water: Not soluble

10. Stability and Reactivity

Stability : Stable under normal conditions of use.

Decomposition : No decomposition if used as recommended.

11. Toxicological Information

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12. Ecological Information

Ecotoxicity : Slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Acute toxicity:

Petroleum Distillates (Naphtha hydrotreated heavy):

LD50 Rat Oral: 2,000 mg/kg, Dermal (rabbit):2,000 mg/kg; LC50 Rat Inhalation:5 mg/l (4hrs).

13. Disposal Considerations

Small quantities can be disposed with household garbage accordance with local, provincial and federal regulations.

14. Transport Information

Ground: Consumer Commodity, ORM-D.

Sea: PETROLEUM DISTILLATES N.O.S. (NAPHTHA), UN# 1268, Class 3, Pack group I

15. Regulatory Information**CANADA**

WHMIS Classification: B2: flammable liquid. D2B: Material causing other toxic Materials.

USA

Environmental Protection Act: Constituents of this product are included on the TSCA inventory.

OSHA (29CFR 1910.1200) Classification: -

HMIS: 2 Health, 2 Fire, 0 Reactivity.

16. Other Information

Keep away from children. Keep flip-top closed when not in use. Do not contaminate with water, food or use for storage. This MSDS has been produced with a new data base system, leading to changes in the format and phrase. Additionally the opportunity has been taken to check and update all information.

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. **This MSDS is valid for three years.**

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material.